



# **Liste des publications dans les revues dotées de comités de pairs de 1965 à 2000**

## Table des matières

<b>PUBLICATIONS DE 1965 À 1974.....</b>	<b>1</b>
1965 .....	1
1966 .....	1
1967 .....	1
1968 .....	1
1969 .....	2
1970 .....	2
1971 .....	2
1972 .....	3
1973 .....	3
1974 .....	3
<b>PUBLICATIONS DE 1975 À 1985.....</b>	<b>4</b>
1975 .....	4
1976 .....	4
1977 .....	4
1978 .....	5
1979 .....	5
1980 .....	6
1981 .....	6
1982 .....	6
1983 .....	7
1984 .....	8
<b>PUBLICATIONS DE 1985 À 1989.....</b>	<b>8</b>
1985 .....	8
1986 .....	8
1987 .....	10
1988 .....	10
1989 .....	11
<b>PUBLICATIONS DE 1990 À 1995.....</b>	<b>12</b>
1990 .....	12
1991 .....	13
1992 .....	15
1993 .....	16
1994 .....	18
<b>PUBLICATIONS DE 1995 À 2000.....</b>	<b>20</b>
1995 .....	20
1996 .....	22
1997 .....	26
1998 .....	29
1999 .....	32
2000 .....	34

## **Publications de 1965 à 1974**

---

### **1965**

1. Dubeau M, Garneau JF, Chapados R. [The role of anesthetist during and after the operation]. Union Med Can 1965;94:1516-1530.
2. Longtin L. [Resuscitation in the intensive care units]. Laval Med 1965;36:533-536.
3. Mignault G, Tetreault L, Laporte J. [Development of clinical anesthesia at l'Hotel-Dieu de Montreal from 1961 to 1964. Advent of Penthrane]. Union Med Can 1965;94:753-758.
4. Migneault G, Tetreault L, Laporte J. [Comparative evaluation of the antiemetic properties of perphenazine and placebos in cholecystectomized women]. Union Med Can 1965;94:453-458.
5. Soucy R, Paulin R, Longtin L, Bousquet E, Castonguay Y, Perreault L, Lessard J, Jarest B, Lepine C, Belliveau N, Gregoire F, Comeau M. [Study of the blood volume in 124 patients]. J Med Bord 1965;142:1080-1083.

### **1966**

6. Chapados R, Paiement B. A case of acute intermittent porphyria. Can Anaesth Soc J 1966;13:616-619.
7. Mignault G. [Anesthesia and respiratory resuscitation]. Union Med Can 1966;95:1432-1435.

### **1967**

8. Mignault G, Tetreault L. A retrospective survey of the use of methoxyflurane at the Hotel-Dieu de Montreal from 1961 to 1964. Can Anaesth Soc J 1967;14:340-357.
9. Migneault G, Tetreault L. [Retrospective survey on the use of methoxyflurane at the Hotel-Dieu de Montreal from 1961 to 1964]. Union Med Can 1967;96:805-817.

### **1968**

10. Authier L, Brodeur J, Martin P, Lebel E. [Distribution of atypical pseudocholinesterase in a French Canadian family]. Union Med Can 1968;97:1249-1250.

11. Brodeur J, Martin P, Authier L, Lebel E. [Atypical pseudocholinesterase and prolonged apnea induced by succinylcholine: report of 2 cases]. Union Med Can 1968;97:1025-1028.

### **1969**

12. Laurin CA, Migneault G, Brunet JL, Roy P. Knee-chest support for lumbosacral operations. Can J Surg 1969;12:245-250.
13. Meloche R, Norlander O, Norden I, Herzog P. Effects of carbon dioxide and halothane on compliance and pulmonary resistance during cardio-pulmonary bypass. Scand J Thorac Cardiovasc Surg 1969;3:69-78.
14. Mignault G, Laurin C, Roy P, Brunet JL. [New pelvic rest for laminectomy improved knee-pectoral position. Physiologic data compared between the new position and the ventral position]. Union Med Can 1969;98:213-217.

### **1970**

15. Boucher JR, Falardeau M, Plante R, Audet J, Jannard A. [The sympatho-galvanic reflex (SGR) and sympathectomy]. Can Anaesth Soc J 1970;17:504-515.
16. Chapados R, Sindon A. [New general anesthesia agents]. Union Med Can 1970;99:687-692.
17. Fortin G, Blanc VF. Miniature ventilators with interrupted non-rebreathing circle systems and other anaesthetic circuits. Can Anaesth Soc J 1970;17:613-623.
18. Mignault G, Labrecque B, Hamel S. [Methoxyflurane and nephrotoxicity: study of the renal function in 22 patients anesthetized with methoxyflurane]. Can Anaesth Soc J 1970;17:331-340.

### **1971**

19. Audet J, Rheault J. [A case of malignant hyperthermia]. Union Med Can 1971;100:2362-2367.
20. Craig DB, Wahba WM, Don HF, Couture JG, Becklake MR. "Closing volume" and its relationship to gas exchange in seated and supine positions. J Appl Physiol 1971;31:717-721.
21. Don HF, Craig DB, Wahba WM, Couture JG. The measurement of gas trapped in the lungs at functional residual capacity and the effects of posture. Anesthesiology 1971;35:582-590.
22. Lynne-Davies P, Couture J, Pengelly LD, Milic-Emili J. Immediate ventilatory response to added inspiratory elastic loads in cats. J Appl Physiol 1971;30:512-516.

23. Prys-Roberts C, Greene LT, Meloche R, Foex P. Studies of anaesthesia in relation to hypertension. II. Haemodynamic consequences of induction and endotracheal intubation. *Br J Anaesth* 1971;43:531-547.

### **1972**

24. Authier L, Sindon A, Chapados R, Barry PP. Ketamine-induced cataleptogenic effects in the rabbit: potentiation and antagonism. *Can Anaesth Soc J* 1972;19:445-452.
25. Mignault G. [Study of 150 cases of major surgery under neuroleptoanesthesia]. *Union Med Can* 1972;101:2166-2171.
26. Way JL, End E, Sheehy MH, De Miranda P, Feitknecht UF, Bachand R, Gibbon SL, Burrows GE. Effect of oxygen on cyanide intoxication. IV. Hyperbaric oxygen. *Toxicol Appl Pharmacol* 1972;22:415-421.

### **1973**

27. Bachand R, Audet J. [Preoperative pulmonary evaluation and postoperative care of a surgical patient]. *Union Med Can* 1973;102:1055-1060.
28. Kerr JH, Smith AC, Prys-Roberts C, Meloche R. Observations during endobronchial anesthesia I: ventilation and carbon dioxide clearance. *Br J Anaesth* 1973;45:159-167.
29. Maille JG, Dyrda I, Paiement B, Boulanger M. Patients with cardiac valve prosthesis: subsequent anaesthetic management for non-cardiac surgical procedures. *Can Anaesth Soc J* 1973;20:207-216.
30. Margaria CE, Iscoe S, Pengelly LD, Couture J, Don H, Milic-Emili J. Immediate ventilatory response to elastic loads and positive pressure in man. *Respir Physiol* 1973;18:347-369.
31. Meloche R, Boucher JR, Bedrossian A, Raphael N. Computer aid in intensive care. *Can Anaesth Soc J* 1973;20:647-658.

### **1974**

32. Authier L, Rousseau P, Paquin P, Ouellette M, Taillefer J, Jobin, Barry PP. [Post-anesthetic amnesia. I. Effect of information]. *Can Anaesth Soc J* 1974;21:46-55.
33. Blanc VF, Tremblay NA. The complications of tracheal intubation: a new classification with a review of the literature. *Anesth Analg* 1974;53:202-213.
34. Gougoux A, Prud'homme M, Charest J. [Severe hypercapnia following metabolic alkalosis]. *Union Med Can* 1974;103:1955-1959.

## **Publications de 1975 à 1985**

---

### **1975**

35. Bachand R, Audet J, Meloche R, Denis R. Physiological changes associated with unilateral pulmonary ventilation during operations on the lung. *Can Anaesth Soc J* 1975;22:659-664.
36. Boulanger M, Paiement B, Maille JG. [Conservation of the blood]. *Can Anaesth Soc J* 1975;22:387-398.
37. Dalozé P, Bloch P, Harel C, Meloche R. Evaluation of intra-arterial vasopressin used electively during porto- systemic shunt procedures [proceedings]. *Rev Gastroenterol Mex* 1975;40:291.

### **1976**

38. Bachand R, Fortin G. Airway obstruction with cuffed flexometallic tracheal tubes. *Can Anaesth Soc J* 1976;23:330-333.
39. Brodeur J, Paquin P, Authier L, Geadah D, Yamauchi M, Cote MG. Influence of phenobarbital pretreatment on methoxyflurane and sodium fluoride nephropathy in Fischer 344 Rats. *Toxicol Appl Pharmacol* 1976;37:349-361.
40. Derenne JP, Couture J, Iscoe S, Whitelaw A, Milic-Emili J. Occlusion pressures in men rebreathing CO<sub>2</sub> under methoxyflurane anesthesia. *J Appl Physiol* 1976;40:805-814.
41. Desnoyers Y, Bisson L, Sindon A. Paraplegia following transurethral surgery. *Can Anaesth Soc J* 1976;23:440-442.
42. Limet R, Maille JG, Lepage G. [Use of intra-aortic balloon in cardiac surgery]. *Arch Mal Coeur Vaiss* 1976;69:495-502.
43. Maille JG. [Hemodynamic parameters which should be watched during and immediately after extracorporeal circulation]. *Ann Anesthesiol Fr* 1976;17:1362-1368.
44. Whitelaw WA, Derenne JP, Couture J, Milic-Emili J. Adaptation of anesthetized men to breathing through an inspiratory resistor. *J Appl Physiol* 1976;41:285-291.

### **1977**

45. Bachand R, Cousineau G. [Formation and treatment of a broncho-pleural fistula under continuous positive pressure]. *Union Med Can* 1977;106:72-75.

46. Blanc VF, Weber ML, Leduc C, Laberge R, Desjardins R, Perreault G. Acute epiglottitis in children: management of 27 consecutive cases with nasotracheal intubation, with special emphasis on anaesthetic considerations. *Can Anaesth Soc J* 1977;24:1-11.
47. Maille JG. [Physiopathology of low cardiac outputs after ECC and their treatment]. *Ann Anesthesiol Fr* 1977;18:73-80.
48. Meloche R, Pottecher T, Audet J, Dufresne O, LePage C. Haemodynamic changes due to clamping of the abdominal aorta. *Can Anaesth Soc J* 1977;24:20-34.
49. Pottecher T, Meloche R. The use of aminophylline for correction of haemodynamic repercussions of clamping of the aorta. *Can Anaesth Soc J* 1977;24:162-174.

## 1978

50. Authier L. [Atypical pseudocholinesterases: assay and clinical interpretation]. *Anesth Analg (Paris)* 1978;35:957-963.
51. Authier L, Chapados R, Sindon A, Gagnon MA. [Amnesia and other effects of diazepam in premedication and the induction of anesthesia]. *Can Anaesth Soc J* 1978;25:297-302.
52. Delva E, Maille JG, Solymoss BC, Chabot M, Grondin CM, Bourassa MG. Evaluation of myocardial damage during coronary artery grafting with serial determinations of serum CPK MB isoenzyme. *J Thorac Cardiovasc Surg* 1978;75:467-475.
53. Derenne JP, Couture J, Whitelaw WA, Milic-Emili J. Interaction between the mechanical properties of the respiratory system and drive in the control of breathing of anesthetized man. *Adv Exp Med Biol* 1978;99:105-116.
54. Desjardins R, Desjardins G, Blanc VF, Weber ML. [Nasotracheal intubation and tracheostomy in acute epiglottitis and laryngotracheal bronchitis]. *J Otolaryngol* 1978;7:230-236.
55. Soliman MG, Tremblay NA. Nerve block of the penis for postoperative pain relief in children. *Anesth Analg* 1978;57:495-498.

## 1979

56. Desjardins J, Maille JG, Lussier J, Grondin P. A simple device for achieving pulsatile flow during cardiopulmonary bypass. *Ann Thorac Surg* 1979;27:178-180.

57. Laflamme MY, Labrecque B, Mignault G. [Ophthalmic herpes: treatment of herpetic neuralgia by repeated stellate block]. *Can J Ophthalmol* 1979;14:99-101.
58. Martel A, Spigelblatt L, Perreault L, Rosenfeld R. [A case of malignant hyperthermia occurring in a dental clinic]. *Can Anaesth Soc J* 1979;26:55-57.
59. Meloche R. Hazard of arterial lines [letter]. *Can Anaesth Soc J* 1979;26:146
60. Mignault G. [Terminal care of cancer patients]. *Union Med Can* 1979;108:862-864.
61. Paiement B, Boulanger M, Taillefer J, Maille JG. [Anesthesia and cardiopathy: evolution of concepts and perspectives]. *Union Med Can* 1979;108:1158-1166.

## 1980

62. Bachand R. [Obstetrical analgesia]. *Union Med Can* 1980;109:666-76, 8.
63. du CC, Maille JG, Jones W, Solymoss BC, Chabot M, Goulet C, Delva E, Grondin CM. MB creatine kinase and the evaluation of myocardial injury following aortocoronary bypass operation. *Ann Thorac Surg* 1980;29:8-14.
64. Paiement B, Maille JG, Boulanger M, Taillefer J, Sahab P, Pelletier C, Dyrda I. [The pre-operative visit in cardiovascular surgery]. *Can Anaesth Soc J* 1980;27:584-593.
65. Prys-Roberts C, Meloche R. Management of anesthesia in patients with hypertension or ischemic heart disease. *Int Anesthesiol Clin* 1980;18:181-217.

## 1981

66. Desjardins R, Ansara S, Charest J. Pre-anesthetic medication in paediatric day-care surgery. *Can Anaesth Soc J* 1981;28:141-148.
67. Perreault L, Rousseau P, Garneau JF, Forget G. [Gas diffusion in the middle ear during anesthesia for tympanoplasty]. *Can Anaesth Soc J* 1981;28:136-10.
68. Perreault L. Anaesthesia technicians in Quebec: the background and the role. *Can Anaesth Soc J* 1981;28:62-66.
69. Stanley PH, Chartrand C, Davignon A, Fouron JC, Guerin R, Favreau-Ethier M, Charest J, Kratz C. Palliative surgery in tetralogy of Fallot. *Can J Surg* 1981;24:475-479.

## 1982

70. David PR, Bourassa MG, Lesperance J, Scholl JM, Crepeau J, Dyrda I, Hudon G, Chaitman BR, Dupras G, Pelletier C, Maille JG, Paquet E. [Coronary

- percutaneous transluminal angioplasty: initial results in our first 110 patients]. Union Med Can 1982;111:23-30, 78.
71. Desjardins R, Ansara S, Charest J. [Ambulatory anaesthesia in pediatrics. A review of clinical problems (author's transl)]. Chir Pediatr 1982;23:49-54.
  72. Lacroix J, Blanc VF, Weber M, Perreault G. [100 consecutive cases of acute epiglottitis]. Union Med Can 1982;111:774-779.
  73. McIlvaine W, Boulanger M, Maille JG, Paiement B, Taillefer J, Sahab P. Hypertension following coronary artery bypass graft. Can Anaesth Soc J 1982;29:212-217.
  74. Perreault L, Normandin N, Plamondon L, Blain R, Rousseau P, Girard M, Forget G. Tympanic membrane rupture after anesthesia with nitrous oxide. Anesthesiology 1982;57:325-326.
  75. Perreault L, Normandin N, Plamondon L, Blain R, Rousseau P, Girard M, Forget G. Middle ear pressure variations during nitrous oxide and oxygen anaesthesia. Can Anaesth Soc J 1982;29:428-434.
  76. Stanley P, Chartrand C, Davignon A, Fouron JC, Guerin R, Ethier M, Charest J, Kratz C. [Tetralogy of Fallot. Surgical treatment: palliative and curative (author's transl)]. Chir Pediatr 1982;23:3-16.
- 1983**
77. Blanc VF, Hardy JF, Milot J, Jacob JL. The oculocardiac reflex: a graphic and statistical analysis in infants and children. Can Anaesth Soc J 1983;30:360-369.
  78. Blanc VF. Anticholinergic premedication for infants and children (the oculocardiac reflex) [letter]. Can Anaesth Soc J 1983;30:683-684.
  79. Hardy JF, Taillefer J. Inflating characteristics of Swan-Ganz catheter balloons: clinical considerations. Anesth Analg 1983;62:363-364.
  80. Hardy JF, Perrault JL. [Prevention of postoperative pulmonary complications: a physiologic approach]. Union Med Can 1983;112:852-6, 851.
  81. Hardy JF, Morissette M, Taillefer J, Vauclair R. Pathophysiology of rupture of the pulmonary artery by pulmonary artery balloon-tipped catheters. Anesth Analg 1983;62:925-930.
  82. Hardy JF, Boulanger M, Maille JG, Paiement B, Taillefer J, Sahab P, Delorme M. Arterial hypertension following coronary artery surgery: influence of the narcotic agent used for anaesthesia. Can Anaesth Soc J 1983;30:370-376.
  83. Hardy JF. Stethoscope modification [letter]. Can Anaesth Soc J 1983;30:447

84. Mignault G, Duguay R, Viguie F, Gariepy R, Busson A, Goulet M, Serrano M. [Pain clinic of the Hotel-Dieu de Montreal. Illustration of its mode of operation in relation to a pilot project on the evaluation and treatment of 100 lumbosciatalgics injured at work]. *Union Med Can* 1983;112:964-972.
85. Milot JA, Jacob JL, Blanc VF, Hardy JF. The oculocardiac reflex in strabismus surgery. *Can J Ophthalmol* 1983;18:314-317.
86. Paiement B, Pelletier C, Dyrda I, Maille JG, Boulanger M, Taillefer J, Sahab P, Delorme M, Dupont E. A simple classification of the risk in cardiac surgery. *Can Anaesth Soc J* 1983;30:61-68.

## 1984

87. Blaise G, Roy WL. Spinal anesthesia in children [letter]. *Anesth Analg* 1984;63:1140-1141.
88. Boulanger M, Maille JG, Pelletier GB, Michalk S. Vasospastic angina after calcium injection. *Anesth Analg* 1984;63:1124-1126.
89. Denis R, Letourneau JE, Londorf D. Reliability and validity of psychomotor tests as measures of recovery from isoflurane or enflurane anesthesia in a day-care surgery unit. *Anesth Analg* 1984;63:653-656.
90. Bates JH, Decramer M, Chartrand D, Zin WA, Boddener A, Milic-Emili J. Volume-time profile during relaxed expiration in the normal dog. *J Appl Physiol* 1985;59:732-737.

---

## Publications de 1985 à 1989

---

## 1985

91. Donati F, Maille JG, Blain R, Boulanger M, Sahab P. End-tidal carbon dioxide tension and temperature changes after coronary artery bypass surgery. *Can Anaesth Soc J* 1985;32:272-277.
92. Girard C, Maille JG, Boulanger M, Tartulier MJ, Sahab P, Taillefer J, Robert P. [Anesthetic induction with Althesin or diazepam in patients undergoing an aortocoronary bypass]. *Ann Fr Anesth Reanim* 1985;4:17-22.

## 1986

93. Amyot R, Michoud MC, St-Jean S, Chapleau D, Couture J. Prolonged hyporesponsiveness of airway smooth muscle to histamine following general anesthesia. *Anesthesiology* 1986;64:758-763.

94. Blanc VF, Vaillancourt G, Brisson G. Succinylcholine, fasciculations and myoglobinemia. *Can Anaesth Soc J* 1986;33:178-184.
95. Blanc VF, Duquenne P, Charest J. Acute epiglottitis: an overview. *Acta Anaesthesiol Belg* 1986;37:171-178.
96. Bradley TD, Chartrand DA, Fitting JW, Killian KJ, Grassino A. The relation of inspiratory effort sensation to fatiguing patterns of the diaphragm. *Am Rev Respir Dis* 1986;134:1119-1124.
97. Frenette L, Baillargeon R, Perreault L. Closed-circuit anesthesia made easier [letter]. *Anesthesiology* 1986;65:704
98. Gagnon RM, Doyle D, Meloche R. Perioperative coronary spasm and right ventricular ischemia. *Can J Cardiol* 1986;2:3-5.
99. Gaudreault P, Guay J. Theophylline poisoning. Pharmacological considerations and clinical management. *Med Toxicol* 1986;1:169-191.
100. Girard D, Shulman BJ, Thys DM, Mindich BP, Mikula SK, Kaplan JA. The safety and efficacy of esmolol during myocardial revascularization. *Anesthesiology* 1986;65:157-164.
101. Graves C, Glass L, Laporta D, Meloche R, Grassino A. Respiratory phase locking during mechanical ventilation in anesthetized human subjects. *Am J Physiol* 1986;250:R902-R909
102. Hardy JF, Guay J, Baillargeon R. A plan for the anaesthetic management of a patient coming to surgery. *Can Anaesth Soc J* 1986;33:256-262.
103. Hardy JF, Charest J, Girouard G, Lepage Y. Nausea and vomiting after strabismus surgery in preschool children. *Can Anaesth Soc J* 1986;33:57-62.
104. Maille JG, Boulanger M, Dyrda I, Tremblay N. Anesthesia and myocardial infarction. *Can Anaesth Soc J* 1986;33:807-819.
105. Pelletier LC, Pelletier G, Cartier R, Castonguay Y, Dyrda I, Gosselin G, Maille JG, Solymoss CB. [The surgical alternative in the treatment of terminal cardiomyopathies: cardiac transplantation]. *Ann Cardiol Angeiol (Paris)* 1986;35:317-322.
106. Plourde G, Hardy JF. Aspiration pneumonia: assessing the risk of regurgitation in the **cat**. *Can Anaesth Soc J* 1986;33:345-348.

**1987**

107. Blaise G, Sill JC, Nugent M, Van Dyke RA, Vanhoutte PM. Isoflurane causes endothelium-dependent inhibition of contractile responses of canine coronary arteries. *Anesthesiology* 1987;67:513-517.
108. Blanc VF. Ventilation and the oculocardiac reflex [letter]. *Anaesthesia* 1987;42:324-326.
109. Boulanger A, Hardy JF. [Intestinal distention during elective abdominal surgery: should nitrous oxide be banished?]. *Can J Anaesth* 1987;34:346-350.
110. Chartrand DA, Phillips DM, Sun RY, Harf A, Chang HK. Gas exchange and haemodynamics during high frequency body surface oscillation in rabbits. *Bull Eur Physiopathol Respir* 1987;23:473-478.
111. Chartrand DA, Ye TH, Maarek JM, Chang HK. Measurement of pleural pressure at low and high frequencies in normal rabbits. *J Appl Physiol* 1987;63:1142-1146.
112. Fitting JW, Chartrand DA, Bradley TD, Killian KJ, Grassino A. Effect of thoracoabdominal breathing patterns on inspiratory effort sensation. *J Appl Physiol* 1987;62:1665-1670.
113. Hardy JF, Plourde G, Lebrun M, Cote C, Dube S, Lepage Y. Determining gastric contents during general anaesthesia: evaluation of two methods. *Can J Anaesth* 1987;34:474-477.
114. Michoud MC, Amyot R, Jeanneret-Grosjean A, Couture J. Reflex decrease of histamine-induced bronchoconstriction after laryngeal stimulation in humans. *Am Rev Respir Dis* 1987;136:618-622.
115. Sill JC, Bove AA, Nugent M, Blaise GA, Dewey JD, Grabau C. Effects of isoflurane on coronary arteries and coronary arterioles in the intact dog. *Anesthesiology* 1987;66:273-279.

**1988**

116. Blaise G, Iqbal A, Vanhoutte PM. Inhibitors of cyclooxygenase augment serotonergic responsiveness in canine coronary arteries. *Am J Physiol* 1988;255:H1032-H1035
117. Blanc VF, Jacob JL, Milot J, Cyrenne L. The oculorespiratory reflex revisited. *Can J Anaesth* 1988;35:468-472.
118. Blanc VF, Charest J. Epiglottitis in young infants [letter]. *Anesthesiology* 1988;68:302-304.

119. Bradley TD, Chartrand DA, Fitting JW, Comtois A, Grassino A. Effect of transdiaphragmatic pressure partitioning on activation and fatigue of the diaphragm. *Am Rev Respir Dis* 1988;137:1395-1400.
120. Gaudreault P, Guay J, Nicol O, Dupuis C. Pharmacokinetics and clinical efficacy of intrarectal solution of acetaminophen. *Can J Anaesth* 1988;35:149-152.
121. Hardy JF. Large volume gastroesophageal reflux: a rationale for risk reduction in the perioperative period [see comments]. *Can J Anaesth* 1988;35:162-173.

## 1989

122. Blaise G, Noel J, Vinay P, Cardoso M, Vinet B, Boulanger Y, Leveille M, Prud'homme M, Gouguox A. Metabolic effects of acetate on the heart. *Clin Invest Med* 1989;12:254-261.
123. Blaise GA, Girard DC, Caille G, Hollman C, Buluran J, Meloche R. [Is isoflurane a calcium antagonist?]. *Ann Fr Anesth Reanim* 1989;8:42-45.
124. Blanchard H, Bensoussan AL, Weber A, Gauthier M, Lacroix J, Charest J, Laberge JM, Guttman FM, Brandt ML, Adelson J. Pediatric liver transplantation: the Montreal experience. *J Pediatr Surg* 1989;24:1009-1012.
125. Esteve M, Veillette Y, Ecoffey C, Orhant EE. [Continuous crural block after knee surgery: bupivacaine pharmacokinetics]. *Ann Fr Anesth Reanim* 1989;8 Suppl:R152
126. Gauthier M, Guay J, Lacroix J, Lortie A. Reye's syndrome. A reappraisal of diagnosis in 49 presumptive cases. *Am J Dis Child* 1989;143:1181-1185.
127. Guay J, Santerre L, Gaudreault P, Goulet B, Dupuis C. Effects of oral cimetidine and ranitidine on gastric pH and residual volume in children. *Anesthesiology* 1989;71:547-549.
128. Loulmet D, Hollmann C, Blaise GA. Calcium salts: another con [letter]. *J Cardiothorac Anesth* 1989;3:253-254.
129. Plourde G, Barry PP, Tardif L, Lepage Y, Hardy JF. Decreasing the toxic potential of intravenous regional anaesthesia. *Can J Anaesth* 1989;36:498-502.
130. Thiriet M, Maarek JM, Chartrand DA, Delpuech C, Davis L, Hatzfeld C, Chang HK. Transverse images of the human thoracic trachea during forced expiration. *J Appl Physiol* 1989;67:1032-1040.
131. Veillette Y, Benhamou D, Labaille T. [Clinical effects of the addition of clonidine with and without adrenaline with peridural administration of lidocaine]. *Ann Fr Anesth Reanim* 1989;8 Suppl:R206

132. Veillette Y, Benhamou D, Ecoffey C. [Premedication with clonidine: effects on respiration]. Ann Fr Anesth Reanim 1989;8 Suppl:R20

## **Publications de 1990 à 1995**

---

### **1990**

133. Blaise GA, Witzeling TM, Sill JC, Vinay P, Vanhoutte PM. Fentanyl is devoid of major effects on coronary vasoreactivity and myocardial metabolism in experimental animals. Anesthesiology 1990;72:535-541.
134. Blaise GA, Nugent M, McMichan JC, Durant PA. Side effects of nalbuphine while reversing opioid-induced respiratory depression: report of four cases [see comments]. Can J Anaesth 1990;37:794-797.
135. Blaise GA, Villeneuve E, Buluran J, Hollmann C, Amyot Y, Meloche R. Isoflurane does not inhibit platelet-induced vasoconstriction in the canine coronary arteries. Can J Anaesth 1990;37:S146
136. Boulanger A, Hardy JF, Lepage Y. Rapid induction sequence with vecuronium: should we intubate after 60 or 90 seconds? Can J Anaesth 1990;37:296-300.
137. Chartrand DA, Maarek JM, Ye TH, Chang HK. Lung and chest wall mechanics in rabbits during high-frequency body-surface oscillation. J Appl Physiol 1990;68:1722-1726.
138. Choiniere M, Melzack R, Girard N, Rondeau J, Paquin MJ. Comparisons between patients' and nurses' assessment of pain and medication efficacy in severe burn injuries. Pain 1990;40:143-152.
139. Davies JM, Davison JS, Nimmo WS, Hardy JF, O'Sullivan G, Maltby JR. The stomach: factors of importance to the anaesthetist. Can J Anaesth 1990;37:896-906.
140. Dube S, Dube P, Hardy JF, Rosenfeld RE. Pyloromyotomy of Ramstedt: experience of a nonspecialized centre. Can J Surg 1990;33:95-96.
141. Esteve M, Veillette Y, Ecoffey C, Orhant EE. [Continuous block of the femoral nerve after surgery of the knee: pharmacokinetics of bupivacaine]. Ann Fr Anesth Reanim 1990;9:322-325.
142. Gagnon RM, Dumont G, Sestier F, Morissette M, Doyle D, Blaise GA, Delarohelliere R. The role of coronary angioplasty in patients with associated noncardiac medical and surgical conditions. Can J Cardiol 1990;6:287-292.

143. Guay J, Reinberg C, Rivard GE, Poitras B, Mathews S, David M. DDAVP does not reduce bleeding during spinal fusion for idiopathic scoliosis. *Can J Anaesth* 1990;37:S14
144. Haluszka J, Chartrand DA, Grassino AE, Milic-Emili J. Intrinsic PEEP and arterial PCO<sub>2</sub> in stable patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1990;141:1194-1197.
145. Hardy JF, Lepage Y, Bonneville-Chouinard N. Occurrence of gastroesophageal reflux on induction of anaesthesia does not correlate with the volume of gastric contents. *Can J Anaesth* 1990;37:502-508.
146. Lacombe P, Blaise G, Plante F, Hollmann C. Treatment with isoproterenol of bupivacaine toxicity. *Can J Anaesth* 1990;37:S1
147. Maarek JM, Chartrand DA, Ye TH, Chang HK. Pulmonary lobar vascular resistances during constant and pulsatile flows. *Respir Physiol* 1990;82:149-159.
148. Perreault C, Albert JF, Couture P, Meloche R. Epidural alfentanil during labor, in association with a continuous infusion of bupivacaine. *Can J Anaesth* 1990;37:S5
149. Perreault C, Blaise GA, Meloche R. Another look at maternal inspired oxygen concentration during cesarian section. *Can J Anaesth* 1990;37:S118
150. Perreault L, Vezina D, Roberts K, Baillargeon R. Low-dose sufentanil in major surgery. *Can J Anaesth* 1990;37:629-635.
151. Ralley FE, Murkin JM, Hudson RJ, Dunn G, Perreault L, Hardy JF. Alfentanil infusion for intra-abdominal surgery. *Can J Anaesth* 1990;37:S20
152. Raymond J, Hardy JF. [Oxygenation through a tracheostomy (letter)]. *Can J Anaesth* 1990;37:274-275.
153. Tanguay M, Blaise GA, Hollmann C, Amyot Y, Beique G, Meloche R. Halothane and isoflurane prevent free radical induced reduction in the coronary flow and contractility of the isolated rabbit-heart. *Can J Anaesth* 1990;37:S147
154. Witzeling TM, Sill JC, Hughes JM, Blaise GA, Nugent M, Rorie DK. Isoflurane and halothane attenuate coronary artery constriction evoked by serotonin in isolated porcine vessels and in intact pigs. *Anesthesiology* 1990;73:100-108.

## 1991

155. Benhamou D, Veillette Y, Narchi P, Ecoffey C. Ventilatory effects of premedication with clonidine. *Anesth Analg* 1991;73:799-803.

156. Blaise GA. Effect of volatile anesthetic agents on endothelium-dependent relaxation. *Adv Exp Med Biol* 1991;301:229-235.
157. Blaise GA, Noel J, Villeneuve E, Hollman C, Vinet B, Boulanger Y, Vinay P. Effects of isoflurane, halothane, and enflurane on myocardial flow and energy stores in the perfused rat heart. *Can J Physiol Pharmacol* 1991;69:752-760.
158. Blaise GA, Hughes JM, Sill JC, Buluran JN, Caille G. Attenuation of contraction of isolated canine coronary arteries by enflurane and halothane. *Can J Anaesth* 1991;38:111-115.
159. Blanc VF, Ruest P, Brisson G, Jacob JL. Serum gastrin and blood glucose levels during halothane-nitrous oxide anaesthesia and strabismus surgery in children. *Can J Anaesth* 1991;38:43-48.
160. Blanc VF. Trigeminocardiac reflexes [editorial; comment] [see comments]. *Can J Anaesth* 1991;38:696-699.
161. Blanc VF, Ruest P, Milot J, Jacob JL, Tang A. Antiemetic prophylaxis with promethazine or droperidol in paediatric outpatient strabismus surgery. *Can J Anaesth* 1991;38:54-60.
162. Boudreault D, Brasseur L, Samii K, Lemoing JP. Comparison of continuous epidural bupivacaine infusion plus either continuous epidural infusion or patient-controlled epidural injection of fentanyl for postoperative analgesia. *Anesth Analg* 1991;73:132-137.
163. Chartrand DA, Jodoin C, Couture J. Measurement of pleural pressure with oesophageal catheter-tip micromanometer in anaesthetized humans. *Can J Anaesth* 1991;38:518-521.
164. Frenette L, Boudreault D, Guay J. Interpleural analgesia improves pulmonary function after cholecystectomy. *Can J Anaesth* 1991;38:71-74.
165. Gaudreault P, Guay J, Thivierge RL, Verdy I. Benzodiazepine poisoning. Clinical and pharmacological considerations and treatment. *Drug Saf* 1991;6:247-265.
166. Guay J. Fetal monitoring and neonatal resuscitation: what the anaesthetist should know [published erratum appears in *Can J Anaesth* 1991 Nov;38(8):1074-5]. *Can J Anaesth* 1991;38:R74-R88.
167. Hardy JF, Perrault J, Tremblay N, Robitaille D, Blain R, Carrier M. The stratification of cardiac surgical procedures according to use of blood products: a retrospective analysis of 1480 cases. *Can J Anaesth* 1991;38:511-517.

168. Hardy JF, Taillefer J, Hebert T. Critical incident report: total airway obstruction secondary to design of a tracheostomy set [letter]. *Can J Anaesth* 1991;38:936-938.
169. Hardy JF. Preoperative fasting: in medio stat virtus [letter; comment]. *Can J Anaesth* 1991;38:256-257.
170. Lacombe P, Blaise G, Hollmann C, Tanguay M, Loulmet D. Isoproterenol corrects the effects of bupivacaine on the electrophysiologic properties of the isolated rabbit heart. *Anesth Analg* 1991;72:70-74.
171. Lacombe P, Blaise G, Loulmet D, Hollmann C. Electrophysiologic effects of bupivacaine in the isolated rabbit heart. *Anesth Analg* 1991;72:62-69.
172. Perreault C, Guay J, Gaudreault P, Cyrenne L, Varin F. Residual curarization in the neonate after caesarean section. *Can J Anaesth* 1991;38:587-591.
173. Saint-Vil D, Luks FI, Lebel P, Brandt ML, Paradis K, Weber A, Guay J, Guttmann FM, Bensoussan AL, Laberge JM. Infectious complications of pediatric liver transplantation. *J Pediatr Surg* 1991;26:908-913.
174. Tanguay M, Blaise G, Dumont L, Beique G, Hollmann C. Beneficial effects of volatile anesthetics on decrease in coronary flow and myocardial contractility induced by oxygen-derived free radicals in isolated rabbit hearts. *J Cardiovasc Pharmacol* 1991;18:863-870.
175. Tremblay N, Hardy JF. Optimizing the yield from central venous punctures [letter]. *Can J Anaesth* 1991;38:257-258.
176. Villeneuve E, Blaise G, Sill JC, Guerard MJ, Buluran J, Girard D. Halothane 1.5 MAC, isoflurane 1.5 MAC, and the contractile responses of coronary arteries obtained from human hearts. *Anesth Analg* 1991;72:454-461.

## **1992**

177. Asenjo F, Blaise G. Sympathetic dystrophy: new name, new concepts, new treatment? [letter; comment]. *Anesth Analg* 1992;75:633
178. Blaise G, Dumont L, Buluran J, Omri A, Sill C, De Lean A. Mechanism of halothane attenuation of isometric tension induced by serotonin in isolated canine coronary artery rings. *J Cardiovasc Pharmacol* 1992;20:445-450.
179. Blaise G. Endothelium derived relaxing factor/nitric oxide [editorial; comment]. *Can J Anaesth* 1992;39:765-769.
180. Blaise GA, Cournoyer S, Perrault C, Bedard MJ, Petit F, Landry D. Spinal catheter does not reduce post-dural puncture headache after caesarean section [letter]. *Can J Anaesth* 1992;39:633-634.

181. Choiniere M, Grenier R, Paquette C. Patient-controlled analgesia: a double-blind study in burn patients. *Anaesthesia* 1992;47:467-472.
182. Couture P, Perreault C, Girard D. Fibroscopic bronchoscopic intubation after induction of general anaesthesia: another approach [letter] [see comments]. *Can J Anaesth* 1992;39:99
183. Couture P, Perreault C, Girard D. Fibroscopic bronchoscopic intubation after induction of general anaesthesia: another approach [letter] [see comments]. *Can J Anaesth* 1992;39:99
184. Guay J, Gaudreault P, Boulanger A, Tang A, Lortie L, Dupuis C. Lidocaine hydrocarbonate and lidocaine hydrochloride for cesarean section: transplacental passage and neonatal effects. *Acta Anaesthesiol Scand* 1992;36:722-727.
185. Guay J, Gaudreault P, Tang A, Goulet B, Varin F. Pharmacokinetics of sufentanil in normal children. *Can J Anaesth* 1992;39:14-20.
186. Guay J, Reinberg C, Poitras B, David M, Mathews S, Lortie L, Rivard GE. A trial of desmopressin to reduce blood loss in patients undergoing spinal fusion for idiopathic scoliosis [see comments]. *Anesth Analg* 1992;75:405-410.
187. Hardy JF, Desroches J. Natural and synthetic antifibrinolytics in cardiac surgery [see comments]. *Can J Anaesth* 1992;39:353-365.
188. Perreault C, Blaise GA, Meloche R. Maternal inspired oxygen concentration and fetal oxygenation during caesarean section. *Can J Anaesth* 1992;39:155-157.
189. Perreault L, Drolet P, Farny J. Ulnar nerve palsy at the elbow after general anaesthesia. *Can J Anaesth* 1992;39:499-503.
190. Robitaille D, Leclerc JR, Laberge R, Sahab P, Atkinson S, Cartier R. Cardiopulmonary bypass with a low-molecular-weight heparin fraction (enoxaparin) in a patient with a history of heparin-associated thrombocytopenia [letter]. *J Thorac Cardiovasc Surg* 1992;103:597-599.
191. Searle NR, Sahab P. Endothelial vasomotor regulation in health and disease [see comments]. *Can J Anaesth* 1992;39:838-857.
192. Tremblay N, Taillefer J, Hardy JF. Successful non-surgical extraction of a knotted pulmonary artery catheter trapped in the right ventricle. *Can J Anaesth* 1992;39:293-295.

## 1993

193. Blaise GA, Stewart DJ, Guerard MJ. Acetylcholine stimulates release of endothelium-derived relaxing factor in coronary arteries of human organ donors. *Can J Cardiol* 1993;9:813-820.

194. Blanc VF, Haig M, Troli M, Sauve B. Computerized photo-plethysmography of the finger. *Can J Anaesth* 1993;40:271-278.
195. Boulanger A, Choiniere M, Roy D, Boure B, Chartrand D, Choquette R, Rousseau P. Comparison between patient-controlled analgesia and intramuscular meperidine after thoracotomy. *Can J Anaesth* 1993;40:409-415.
196. Carrier M, Pineault R, Tremblay N, Pelletier LC. Outcome of rationing access to open-heart surgery: effect of the wait for elective surgery on patient outcome [see comments]. *CMAJ* 1993;149:1117-1122.
197. Chartrand D, Dionne B, Jodoin C, Lorange M, Lapointe A. Measurement of respiratory mechanics using the Puritan-Bennett 7200a ventilator. *Can J Anaesth* 1993;40:1076-1083.
198. Dagher E, Dumont L, Chartrand C, Blaise G. Effects of PGE1 in experimental vasoconstrictive pulmonary hypertension. *Eur Surg Res* 1993;25:65-73.
199. Drolet P, Girard M. [The use of magnesium sulfate during surgery of pheochromocytoma: apropos of 2 cases]. *Can J Anaesth* 1993;40:521-525.
200. Eagle CJ, Martineau R, Hamilton K. The oral examination in anaesthetic resident evaluation [see comments]. *Can J Anaesth* 1993;40:947-953.
201. Fugere F, Lewis G. Coeliac plexus block for chronic pain syndromes. *Can J Anaesth* 1993;40:954-963.
202. Hardy JF, Belisle S. Aprotinin therapy for reoperative myocardial revascularization: an opposing view [letter; comment]. *Ann Thorac Surg* 1993;56:198
203. Hardy JF, Searle N, Roy M, Perrault J. Amrinone, in combination with norepinephrine, is an effective first-line drug for difficult separation from cardiopulmonary bypass. *Can J Anaesth* 1993;40:495-501.
204. Hardy JF, Belisle S, Tremblay N. Cardiac anaesthesia: a perspective for the 1990's [editorial; comment]. *Can J Anaesth* 1993;40:1115-1119.
205. Hardy JF. Canadian Anaesthetists' Society Gold Medal. Dr. Marcel Boulanger. *Can J Anaesth* 1993;40:1103-1104.
206. Hardy JF, Belisle S. Inotropic support of the heart that fails to successfully wean from cardiopulmonary bypass: the Montreal Heart Institute experience. *J Cardiothorac Vasc Anesth* 1993;7:33-39.
207. Hardy JF, Searle N, Roy M, Perrault J. Amrinone, in combination with norepinephrine, is an effective first-line drug for difficult separation from cardiopulmonary bypass. *Can J Anaesth* 1993;40:495-501.

208. Hardy JF, Desroches J, Belisle S, Perrault J, Carrier M, Robitaille D. Low-dose aprotinin infusion is not clinically useful to reduce bleeding and transfusion of homologous blood products in high-risk cardiac surgical patients. *Can J Anaesth* 1993;40:625-631.
209. Hardy JF. Vaporizer overfilling [editorial; comment] [see comments]. *Can J Anaesth* 1993;40:1-3.
210. Miller DR, Martineau RJ, O'Brien H, Hull KA, Oliveras L, Hindmarsh T, Greenway D. Effects of alfentanil on the hemodynamic and catecholamine response to tracheal intubation [see comments]. *Anesth Analg* 1993;76:1040-1046.
211. Searle NR, Sahab P. Propofol in patients with cardiac disease. *Can J Anaesth* 1993;40:730-747.
212. Searle NR, Perrault J, Ste-Marie H, Dupont C. Assessment of the arterial tonometer (N-CAT) for the continuous blood pressure measurement in rapid atrial fibrillation. *Can J Anaesth* 1993;40:388-393.
213. Tremblay NA, Hardy JF, Perrault J, Carrier M. A simple classification of the risk in cardiac surgery: the first decade [see comments]. *Can J Anaesth* 1993;40:103-111.

## 1994

214. Blaise G, To Q, Parent M, Lagarde B, Asenjo F, Sauve R. Does halothane interfere with the release, action, or stability of endothelium-derived relaxing factor/nitric oxide? *Anesthesiology* 1994;80:417-426.
215. Blaise GA, Parent M, Laurin S, Omri A, Reader TA, Moutquin JM. Platelet-induced vasomotion of isolated canine coronary artery in the presence of halothane or isoflurane. *J Cardiothorac Vasc Anesth* 1994;8:175-181.
216. Choiniere M, Auger FA, Latarjet J. Visual analogue thermometer: a valid and useful instrument for measuring pain in burned patients. *Burns* 1994;20:229-235.
217. Corbin F, Blaise GA, Parent M, Chen H, Daloze PM. Effect of rapamycin on rat aortic ring vasomotion. *J Cardiovasc Pharmacol* 1994;24:813-817.
218. Couture JG, Chartrand D, Gagner M, Bellemare F. Diaphragmatic and abdominal muscle activity after endoscopic cholecystectomy. *Anesth Analg* 1994;78:733-739.
219. Couture P, Boudreault D, Derouin M, Allard M, Lepage Y, Girard D, Blaise G. Venous carbon dioxide embolism in pigs: an evaluation of end-tidal carbon dioxide, transesophageal echocardiography, pulmonary artery pressure, and

- precordial auscultation as monitoring modalities. *Anesth Analg* 1994;79:867-873.
220. D'Angelo E, Prandi E, Bellemare F. Mechanics of the abdominal muscles in rabbits and dogs. *Respir Physiol* 1994;97:275-291.
221. Deneault LG, Kancel MJ, Denault A, Mandarino WA, Gasior TA, Gorcsan J, Pinsky MR. A system for the on-line acquisition, visualization, and analysis of pressure-area loops. *Comput Biomed Res* 1994;27:61-67.
222. Farny J, Girard M, Drolet P. Posterior approach to the lumbar plexus combined with a sciatic nerve block using lidocaine [see comments]. *Can J Anaesth* 1994;41:486-491.
223. Farny J, Drolet P, Girard M. Anatomy of the posterior approach to the lumbar plexus block [see comments]. *Can J Anaesth* 1994;41:480-485.
224. Fugere F, Owen H, Ilsley AH, Plummer JL, Hawkins DJ. Changes in oxygen saturation in the 72 hours after hip surgery: the effect of oxygen therapy. *Anaesth Intensive Care* 1994;22:724-728.
225. Gobeil F, Couture P, Girard D, Plante R. Carotid artery-internal jugular fistula: another complication following pulmonary artery catheterization via the internal jugular venous route [letter]. *Anesthesiology* 1994;80:230-232.
226. Gorcsan J, Denault A, Gasior TA, Mandarino WA, Kancel MJ, Deneault LG, Hattler BG, Pinsky MR. Rapid estimation of left ventricular contractility from end-systolic relations by echocardiographic automated border detection and femoral arterial pressure. *Anesthesiology* 1994;81:553-562.
227. Guay J, Haig M, Lortie L, Guertin MC, Poitras B. Predicting blood loss in surgery for idiopathic scoliosis. *Can J Anaesth* 1994;41:775-781.
228. Hardy JF, Belisle S. Natural and synthetic antifibrinolytics in adult cardiac surgery: efficacy, effectiveness and efficiency. *Can J Anaesth* 1994;41:1104-1112.
229. Hardy JF, Belisle S, Decary F. Cardiac surgical patients must not be denied the benefits of autologous blood predonation [editorial; comment]. *Can J Anaesth* 1994;41:1021-1026.
230. Hawkes C, Miller D, Martineau R, Hull K, Hopkins H, Tierney M. Evaluation of cost minimization strategies of anaesthetic drugs in a tertiary care hospital. *Can J Anaesth* 1994;41:894-901.
231. Khy V, Girard M. [The use of 2-chloroprocaine for a combined lumbar plexus and sciatic nerve block]. *Can J Anaesth* 1994;41:919-924.

232. Lavoie J, Burrows FA, Gentles TL, Sanders SP, Burke RP, Javorski JJ. Transoesophageal echocardiography detects residual ductal flow during video-assisted thoracoscopic patent ductus arteriosus interruption. *Can J Anaesth* 1994;41:310-313.
233. Marquette GP, Mechias T, Charest J, Rey E. Epidural anaesthesia for elective caesarean section does not influence fetal umbilical artery blood flow indices. *Can J Anaesth* 1994;41:1053-1056.
234. Miller DR, Martineau RJ, Hull KA, Vallee F, LeBel M. Optimizing sedation following major vascular surgery: a double-blind study of midazolam administered by continuous infusion. *Can J Anaesth* 1994;41:782-793.
235. Petitjean M, Bellemare F. Phonomyogram of the diaphragm during unilateral and bilateral phrenic nerve stimulation and changes with fatigue. *Muscle Nerve* 1994;17:1201-1209.
236. Salib Y, Frossard J, Plaud B, Debaene B, Meistelman C, Donati F. Neuromuscular effects of vecuronium and neostigmine in Montreal and Paris. *Can J Anaesth* 1994;41:908-912.
237. Searle NR, Roy M, Bergeron G, Perrault J, Roof J, Heermans C, Courtemanche M, Demers C, Cartier R. Hydromorphone patient-controlled analgesia (PCA) after coronary artery bypass surgery. *Can J Anaesth* 1994;41:198-205.
238. Searle NR, Sahab P, Blain R, Taillefer J, Tremblay N, Hardy JF, Roy M, Gagnon L, Belisle S. Hemodynamic and pharmacodynamic comparison of doxacurium and high-dose vecuronium during coronary artery bypass surgery: a cost-benefit study [see comments]. *J Cardiothorac Vasc Anesth* 1994;8:490-494.
239. Tanguay M, Lepage G, Blaise G, Garceau D, Dumont L. Clentiazem, diltiazem, and cold cardioplegia in isolated ischemic rabbit hearts: relation between additive cardioprotection, physicochemical properties, and preservation of myocardial lipid components. *J Cardiovasc Pharmacol* 1994;24:950-959.
240. Vischoff D, Charest J. Propofol for pulsed dye laser treatments in paediatric outpatients. *Can J Anaesth* 1994;41:728-732.

## **Publications de 1995 à 2000**

---

### **1995**

241. Audibert G, Donati F. Onset of neuromuscular block after tourniquet inflation: comparison of suxamethonium with vecuronium [see comments]. *Br J Anaesth* 1995;75:436-440.

242. Blanc VF. Atropine and succinylcholine: beliefs and controversies in paediatric anaesthesia [editorial; comment]. *Can J Anaesth* 1995;42:1-7.
243. Bouchard F, Drolet P. Thoracic versus lumbar administration of fentanyl using patient-controlled epidural after thoracotomy. *Reg Anesth* 1995;20:385-388.
244. Cameron M, Donati F, Varin F. In vitro plasma protein binding of neuromuscular blocking agents in different subpopulations of patients. *Anesth Analg* 1995;81:1019-1025.
245. Debaene B, Beaussier M, Meistelman C, Donati F, Lienhart A. Monitoring the onset of neuromuscular block at the orbicularis oculi can predict good intubating conditions during atracurium-induced neuromuscular block. *Anesth Analg* 1995;80:360-363.
246. Dube L, Francoeur M, Troncy E, Carrier R, Blaise G. Comparison of two administration techniques of inhaled nitric oxide on nitrogen dioxide production. *Can J Anaesth* 1995;42:922-927.
247. Etches RC, Warriner CB, Badner N, Buckley DN, Beattie WS, Chan VW, Parsons D, Girard M. Continuous intravenous administration of ketorolac reduces pain and morphine consumption after total hip or knee arthroplasty. *Anesth Analg* 1995;81:1175-1180.
248. Fayon M, Gauthier M, Blanc VF, Ahronheim GA, Michaud J. Intraoperative cardiac arrest due to the oculocardiac reflex and subsequent death in a child with occult Epstein-Barr virus myocarditis. *Anesthesiology* 1995;83:622-624.
249. Javorski JJ, Hansen DD, Laussen PC, Fox ML, Lavoie J, Burrows FA. Paediatric cardiac catheterization: innovations. *Can J Anaesth* 1995;42:310-329.
250. Jean D, Girard F, Couture P, Normandin D, Poirier NL, Prenovault J, Girard D. Transesophageal echocardiographic diagnosis of sinus venosus-type atrial septal defect associated with partial anomalous venous connections during cardiac surgery in adults. *J Cardiothorac Vasc Anesth* 1995;9:438-441.
251. Lacroix M, Tu TM, Donati F, Varin F. High-performance liquid chromatographic assays with fluorometric detection for mivacurium isomers and their metabolites in human plasma. *J Chromatogr B Biomed Appl* 1995;663:297-307.
252. Lavoie J, Javorski JJ, Donahue K, Sanders SP, Burke RP, Burrows FA. Detection of residual flow by transesophageal echocardiography during video-assisted thoracoscopic patent ductus arteriosus interruption. *Anesth Analg* 1995;80:1071-1075.
253. Lavoie J, Walsh EP, Burrows FA, Laussen P, Lulu JA, Hansen DD. Effects of propofol or isoflurane anesthesia on cardiac conduction in children undergoing

- radiofrequency catheter ablation for tachydysrhythmias. *Anesthesiology* 1995;82:884-887.
254. Marchand S, Li J, Charest J. Effects of caffeine on analgesia from transcutaneous electrical nerve stimulation [letter]. *N Engl J Med* 1995;333:325-326.
255. Marcotte J, Drolet P, Perreault L, Girard M. Dose-response relationships for edrophonium antagonism of mivacurium-induced neuromuscular block during N<sub>2</sub>O-enflurane-alfentanil anaesthesia. *Can J Anaesth* 1995;42:879-883.
256. McKenzie DK, Bellemare F. Respiratory muscle fatigue. *Adv Exp Med Biol* 1995;384:401-414.
257. Mignault GG, Latreille J, Viguerie F, Richer P, Lemire F, Harsanyi Z, Stewart JH. Control of cancer-related pain with MS Contin: a comparison between 12-hourly and 8-hourly administration [see comments]. *J Pain Symptom Manage* 1995;10:416-422.
258. Miller DR, Bryson G, Martineau RJ, Kitts JB, Curran M, Bragg P, Watson JB, Hull K, Lindsay P. Edrophonium requirements for reversal of deep neuromuscular block following infusion of mivacurium. *Can J Anaesth* 1995;42:996-1002.
259. Roy L, Vischoff D, Lavoie J. Epidural blood patch in a seven-year-old child. *Can J Anaesth* 1995;42:621-624.
260. Searle NR, Gauthier J, Sahab P. An evaluation of the N-CAT, a new arterial tonometer. *Can J Anaesth* 1995;42:526-531.
261. Tanguay M, Jasmin G, Blaise G, Dumont L. Resistance of the failing dystrophic hamster heart to the cardioprotective effects of diltiazem and clentiazem: evidence of coronary vascular dysfunctions. *Can J Physiol Pharmacol* 1995;73:1108-1117.
262. van Obbergh L, Leonard V, Chen H, Xu D, Blaise G. The endothelial and non-endothelial mechanism responsible for attenuated vasoconstriction in cirrhotic rats. *Exp Physiol* 1995;80:609-617.
263. Vischoff D, Lavoie J, Roy L, Beaulieu P, Hamel N, Labelle H. Anaesthetic management of a 2.900 kg neonate with a C3-C4 dislocation. *Paediatr Anaesth* 1995;5:71-74.

## 1996

264. Audibert G, Donati F. The onset of rocuronium, but not of vecuronium or mivacurium, is modified by tourniquet inflation. *Anesth Analg* 1996;82:848-853.

265. Beaulieu P, Vischoff D, Yazbeck S. Latex anaphylaxis in a myasthenic child undergoing thymectomy. *Can J Surg* 1996;39:490-493.
266. Beaulieu P, Cyrenne L, Mathews S, Villeneuve E, Vischoff D. Patient-controlled analgesia after spinal fusion for idiopathic scoliosis. *Int Orthop* 1996;20:295-299.
267. Belisle S, Van der Linden P, Hardy JF. Correction of anaemia: the time has come to evaluate tolerance for red cell depletion [editorial; comment]. *Can J Anaesth* 1996;43:647-652.
268. Belisle S, Hardy JF. Hemorrhage and the use of blood products after adult cardiac operations: myths and realities. *Ann Thorac Surg* 1996;62:1908-1917.
269. Choiniere M, Amsel R. A visual analogue thermometer for measuring pain intensity. *J Pain Symptom Manage* 1996;11:299-311.
270. Couture P, Boudreault D, Girard D, Plante F, McKenty S, St-Pierre J, Poirier NL. Haemodynamic interaction of high-dose fentanyl and increasing doses of vecuronium in patients undergoing myocardial revascularization. *Acta Anaesthesiol Scand* 1996;40:32-38.
271. D'Angelo E, Prandi E, Robatto F, Petitjean M, Bellemare F. Insertional action of the abdominal muscles in rabbits and dogs. *Respir Physiol* 1996;104:147-157.
272. Demers P, Ratelle R, Boudreault D, Couture P, Gravel D, Girard D. [Comparison of hemodynamic and ventilatory effects of pneumoperitoneum using carbon dioxide or abdominal suspension during laparoscopic cholecystectomy]. *Ann Chir* 1996;50:593-600.
273. Derouin M, Couture P, Boudreault D, Girard D, Gravel D. Detection of gas embolism by transesophageal echocardiography during laparoscopic cholecystectomy. *Anesth Analg* 1996;82:119-124.
274. Fugere F, Drolet P, Veillette Y. [Evaluation of the activity of a postoperative analgesia department in a Canadian hospital]. *Ann Fr Anesth Reanim* 1996;15:313-319.
275. Fugere F, Drolet P, Veillette Y. [Evaluation of the activity of a postoperative analgesia department in a Canadian hospital]. *Ann Fr Anesth Reanim* 1996;15:313-319.
276. Gorcsan J, III, Denault A, Mandarino WA, Pinsky MR. Left ventricular pressure-volume relations with transesophageal echocardiographic automated border detection: comparison with conductance-catheter technique. *Am Heart J* 1996;131:544-552.

277. Guay J, Rivard GE. Mediastinal bleeding after cardiopulmonary bypass in pediatric patients. *Ann Thorac Surg* 1996;62:1955-1960.
278. Hardy JF, Belisle S, Janvier G, Samama M. Reduction in requirements for allogeneic blood products: nonpharmacologic methods. *Ann Thorac Surg* 1996;62:1935-1943.
279. Hardy JF, Belisle S, Robitaille D, Perrault J, Roy M, Gagnon L. Measurement of heparin concentration in whole blood with the Hepcon/HMS device does not agree with laboratory determination of plasma heparin concentration using a chromogenic substrate for activated factor X. *J Thorac Cardiovasc Surg* 1996;112:154-161.
280. Hardy JF, Pelletier M. Quality in anaesthesia: an integrated and constructive model. *Can J Anaesth* 1996;43:R75-R88
281. Hebert TE, Moffett S, Morello JP, Loisel TP, Bichet DG, Barret C, Bouvier M. A peptide derived from a beta2-adrenergic receptor transmembrane domain inhibits both receptor dimerization and activation. *J Biol Chem* 1996;271:16384-16392.
282. Ibebungo C, Srikant CB, Donati F. Properties of fibres, endplates and acetylcholine receptors in the diaphragm, masseter, laryngeal, abdominal and limb muscles in the goat. *Can J Anaesth* 1996;43:475-484.
283. Ibebungo C, Srikant CB, Donati F. Duration of succinylcholine and vecuronium blockade but not potency correlates with the ratio of endplate size to fibre size in seven muscles in the goat. *Can J Anaesth* 1996;43:485-494.
284. Janvier G, Baquey C, Roth C, Benillan N, Belisle S, Hardy JF. Extracorporeal circulation, hemocompatibility, and biomaterials. *Ann Thorac Surg* 1996;62:1926-1934.
285. Langeron O, Couture P, Mateo J, Riou B, Pansard JL, Coriat P. Oxygen consumption and delivery relationship in brain-dead organ donors. *Br J Anaesth* 1996;76:783-789.
286. Loisel TP, Adam L, Hebert TE, Bouvier M. Agonist stimulation increases the turnover rate of beta 2AR-bound palmitate and promotes receptor depalmitoylation. *Biochemistry* 1996;35:15923-15932.
287. Malenfant A, Forget R, Papillon J, Amsel R, Frigon JY, Choiniere M. Prevalence and characteristics of chronic sensory problems in burn patients. *Pain* 1996;67:493-500.
288. Martineau RJ. Pro: a hematocrit of 20% is adequate to wean a patient from cardiopulmonary bypass. *J Cardiothorac Vasc Anesth* 1996;10:291-293.

289. Mazoit JX, Benhamou D, Veillette Y, Samii K. Clonidine and/or adrenaline decrease lignocaine plasma peak concentration after epidural injection. *Br J Clin Pharmacol* 1996;42:242-245.
290. Miller DR, Blew PG, Martineau RJ, Hull KA. Midazolam and awareness with recall during total intravenous anaesthesia. *Can J Anaesth* 1996;43:946-953.
291. Petitjean M, Ripart J, Couture J, Bellemare F. Effects of lung volume and fatigue on evoked diaphragmatic phonomyogram in normal subjects. *Thorax* 1996;51:705-710.
292. Plaud B, Debaene B, Lequeau F, Meistelman C, Donati F. Mivacurium neuromuscular block at the adductor muscles of the larynx and adductor pollicis in humans. *Anesthesiology* 1996;85:77-81.
293. Ripart J, Drolet P, Perreault L, Girard M. [Effects of different doses of edrophonium antagonism of mivacurium-induced neuromuscular block in the presence of nitrous oxide, propofol, and alfentanil anesthesia]. *Can J Anaesth* 1996;43:368-372.
294. Searle NR, Martineau RJ, Conzen P, al-Hasani A, Mark L, Ebert T, Muzi M, Hodges LR. Comparison of sevoflurane/fentanyl and isoflurane/fentanyl during elective coronary artery bypass surgery. Sevoflurane Venture Group [see comments]. *Can J Anaesth* 1996;43:890-899.
295. Simoneau C, Thuringer D, Cai S, Garneau L, Blaise G, Sauve R. Effects of halothane and isoflurane on bradykinin-evoked Ca<sup>2+</sup> influx in bovine aortic endothelial cells. *Anesthesiology* 1996;85:366-379.
296. Tanguay M, Jasmin G, Blaise G, Dumont L. Impaired coronary sensitivity to diltiazem in experimental heart failure: involvement of the cyclooxygenase but not the nitric oxide-synthase pathway. *J Cardiovasc Pharmacol* 1996;28:232-239.
297. Troncy E, Jacob E, da Silva P, Ducruet T, Collet JP, Salazkin I, Charbonneau M, Blaise G. Comparison of the effect of inhaled nitric oxide and intravenous nitroglycerine on hypoxia-induced pulmonary hypertension in pigs. *Eur J Anaesthesiol* 1996;13:521-529.
298. van Obbergh L, Vallieres Y, Blaise G. Cardiac modifications occurring in the ascitic rat with biliary cirrhosis are nitric oxide related. *J Hepatol* 1996;24:747-752.
299. Van Obbergh LJ, Charbonneau M, Blaise G. Combination of inhaled nitric oxide with i.v. nitroglycerin or with a prostacyclin analogue in the treatment of experimental pulmonary hypertension. *Br J Anaesth* 1996;77:227-231.

**1997**

300. Beattie WS, Warriner CB, Etches R, Badner NH, Parsons D, Buckley N, Chan V, Girard M. The addition of continuous intravenous infusion of ketorolac to a patient-controlled analgetic morphine regime reduced postoperative myocardial ischemia in patients undergoing elective total hip or knee arthroplasty [see comments]. *Anesth Analg* 1997;84:715-722.
301. Blaise G, Guy C, To Q, Sauve R. Do enflurane and isoflurane interfere with the release, action, or stability of endothelium-derived relaxing factors? *Can J Anaesth* 1997;44:550-558.
302. Bois S, Couture P, Boudreault D, Lacombe P, Fugere F, Girard D, Nadeau N. Epidural analgesia and intravenous patient-controlled analgesia result in similar rates of postoperative myocardial ischemia after aortic surgery [see comments]. *Anesth Analg* 1997;85:1233-1239.
303. Botez MI, Mayer P, Bellemare F, Couture J. Can we treat respiratory failure in Friedreich ataxia? *Arch Neurol* 1997;54:1030-1033.
304. Carette S, Leclaire R, Marcoux S, Morin F, Blaise GA, St.-Pierre A, Truchon R, Parent F, Levesque J, Bergeron V, Montminy P, Blanchette C. Epidural corticosteroid injections for sciatica due to herniated nucleus pulposus [see comments]. *N Engl J Med* 1997;336:1634-1640.
305. Carrier M, Lesperance J, Cote G, Pellerin M, Searle N, Pelletier LC. [Coronary artery bypass grafting without cardiopulmonary bypass: angiographic evaluation of a preliminary experience]. *Can J Cardiol* 1997;13:653-656.
306. Carrier M, Pelletier LC, Searle NR. Does retrograde administration of blood cardioplegia improve myocardial protection during first operation for coronary artery bypass grafting? *Ann Thorac Surg* 1997;64:1256-1261.
307. Chen D, Durand LG, Lee HC, Petitjean M, Bellemare F. Time-frequency analysis of the muscle sound of the human diaphragm. *Med Biol Eng Comput* 1997;35:649-652.
308. Chen D, Durand LG, Bellemare F. Time and frequency domain analysis of acoustic signals from a human muscle. *Muscle Nerve* 1997;20:991-1001.
309. Couture P, Boudreault D, Girard F, Girard D, Ratelle R. Haemodynamic effects of mechanical peritoneal retraction during laparoscopic cholecystectomy. *Can J Anaesth* 1997;44:467-472.
310. Demers-Pelletier J, Drolet P, Girard M, Donati F. Comparison of rocuronium and d-tubocurarine for prevention of succinylcholine-induced fasciculations and myalgia. *Can J Anaesth* 1997;44:1144-1147.

311. Denault AY, Gorcsan J, Mandarino WA, Kancel MJ, Pinsky MR. Left ventricular performance assessed by echocardiographic automated border detection and arterial pressure. *Am J Physiol* 1997;272:H138-H147
312. Drolet P, Veillette Y. Back pain following epidural anesthesia with 2-chloroprocaine (EDTA-free) or lidocaine [see comments]. *Reg Anesth* 1997;22:303-307.
313. Hardy JF, Belisle S, Couturier A, Robitaille D. Randomized, placebo-controlled, double-blind study of an ultra-low-dose aprotinin regimen in reoperative and/or complex cardiac operations. *J Card Surg* 1997;12:15-22.
314. Hardy JF, Belisle S, Gravel N. Incorrect analysis of data leads to incorrect conclusions [letter; comment]. *Can J Anaesth* 1997;44:786-787.
315. Hardy JF, Belisle S. Natural and synthetic antifibrinolytics: inert, poisonous or therapeutic agents? [editorial; comment]. *Can J Anaesth* 1997;44:913-917.
316. Humbert N. [Palliative care and pediatrics: between abandonment and desperation]. *Rev Med Suisse Romande* 1997;117:197-200.
317. Ibebungo C, Donati F, Fox GS, Eshelby D, Tchervenkov JI. The effects of chronic tacrine therapy on d-tubocurarine blockade in the soleus and tibialis muscles of the rat. *Anesth Analg* 1997;85:431-436.
318. Ibebungo C, Eshelby D, Donati F, Fox GS, Tchervenkov JI. Tacrine does not alter the potency of succinylcholine in the rat. *Can J Anaesth* 1997;44:1021-1026.
319. Lacroix M, Donati F, Varin F. Pharmacokinetics of mivacurium isomers and their metabolites in healthy volunteers after intravenous bolus administration. *Anesthesiology* 1997;86:322-330.
320. Madore F, Prud'homme L, Austin JS, Blaise G, Francoeur M, Leveille M, Prud'homme M, Vinay P. Impact of nitric oxide on blood pressure in hemodialysis patients. *Am J Kidney Dis* 1997;30:665-671.
321. Masse E, Drolet P, Girard M. Direction of injection does not affect the spread of spinal bupivacaine in parturients. *Can J Anaesth* 1997;44:816-819.
322. Motamed C, Choquette R, Donati F. Rocuronium prevents succinylcholine-induced fasciculations. *Can J Anaesth* 1997;44:1262-1268.
323. Petitjean M, Ripart J, Couture J, Bellemare F. Diaphragmatic fatigue investigated by phonometry. *Am J Respir Crit Care Med* 1997;155:1162-1166.

324. Ray KP, Farrow S, Daly M, Talabot F, Searle N. Induction of the E-selectin promoter by interleukin 1 and tumour necrosis factor alpha, and inhibition by glucocorticoids. *Biochem J* 1997;328 ( Pt 2):707-715.
325. Searle NR, Cote S, Taillefer J, Carrier M, Gagnon L, Roy M, Lussier D. Propofol or midazolam for sedation and early extubation following cardiac surgery. *Can J Anaesth* 1997;44:629-635.
326. St-Onge S, Fugere F, Girard M. Bupivacaine decreases epidural meperidine requirements after abdominal surgery. *Can J Anaesth* 1997;44:360-366.
327. Tanguay M, Jasmin G, Blaise G, Dumont L. Coronary and cardiac sensitivity to the vasoselective benzothiazepine-like calcium antagonist, clentiazem, in experimental heart failure. *Cardiovasc Drugs Ther* 1997;11:71-79.
328. Tardif JC, Rodrigues AG, Hardy JF, Leclerc Y, Petitclerc R, Mongrain R, Mercier LA. Simultaneous determination of aortic valve area by the Gorlin formula and by transesophageal echocardiography under different transvalvular flow conditions. Evidence that anatomic aortic valve area does not change with variations in flow in aortic stenosis. *J Am Coll Cardiol* 1997;29:1296-1302.
329. Therasse E, Choiniere M, Soulez G, Oliva VL, Rousseau P, Fugere F, Boudreault D, Cusson JR. Percutaneous biliary drainage: clinical trial of analgesia with interpleural block. *Radiology* 1997;205:663-668.
330. Troncy E, Francoeur M, Blaise G. Inhaled nitric oxide: clinical applications, indications, and toxicology. *Can J Anaesth* 1997;44:973-988.
331. Troncy E, Francoeur M, Blaise G. Inhaled nitric oxide delivery systems [letter; comment]. *Anesthesiology* 1997;87:1591-1593.
332. Troncy E, Francoeur M, Salazkin I, Yang F, Charbonneau M, Leclerc G, Vinay P, Blaise G. Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine. *Br J Anaesth* 1997;79:631-640.
333. Troncy E, Collet JP, Shapiro S, Guimond JG, Blair L, Charbonneau M, Blaise G. Should we treat acute respiratory distress syndrome with inhaled nitric oxide? [letter]. *Lancet* 1997;350:111-112.
334. Warriner CB, Knox D, Belo S, Cole C, Finegan BA, Perreault L. Prophylactic oral dolasetron mesylate reduces nausea and vomiting after abdominal hysterectomy. The Canadian Dolasetron Study Group. *Can J Anaesth* 1997;44:1167-1173.
335. Yang F, Troncy E, Francoeur M, Vinet B, Vinay P, Czaika G, Blaise G. Effects of reducing reagents and temperature on conversion of nitrite and nitrate to nitric oxide and detection of NO by chemiluminescence [see comments]. *Clin Chem* 1997;43:657-662.

336. Zhu Y, Audibert G, Donati F, Varin F. Pharmacokinetic-pharmacodynamic modeling of doxacurium: effect of input rate. *J Pharmacokinet Biopharm* 1997;25:23-37.

## 1998

337. Beauregard L, Pomp A, Choiniere M. Severity and impact of pain after day-surgery [see comments]. *Can J Anaesth* 1998;45:304-311.
338. Blaise G. Heparin and protamine interaction [editorial]. *Can J Anaesth* 1998;45:1144-1147.
339. Blaise G. Heparin and protamine interaction [editorial]. *Can J Anaesth* 1998;45:1144-1147.
340. Blaise G, Troncy E. The best approach to ARDS? [editorial; comment]. *Can J Anaesth* 1998;45:393-396.
341. Carrier M, Pelletier LC, Martineau R, Pellerin M, Solymoss BC. In elective coronary artery bypass grafting, preoperative troponin T level predicts the risk of myocardial infarction. *J Thorac Cardiovasc Surg* 1998;115:1328-1334.
342. Carrier M, Pellerin M, Page PL, Searle NR, Martineau R, Caron C, Solymoss BC, Pelletier LC. Can L-arginine improve myocardial protection during cardioplegic arrest? Results of a phase I pilot study. *Ann Thorac Surg* 1998;66:108-112.
343. Cartier R, Hebert Y, Blain R, Tremblay N, Desjardins J, Leclerc Y. Triple coronary artery revascularization on the stabilized beating heart: initial experience. *Can J Surg* 1998;41:283-288.
344. Cartier R, Bouchard D, Martineau R. [Peri-operative benefits of beating-heart coronary revascularization in patients with triple vessel disease]. *Ann Chir* 1998;52:801-806.
345. Cartier R, Leclerc Y, Searle N, Lachapelle C, Dumas A, Hudon G. Retrograde replacement of the thoracic aorta under circulatory arrest and retrograde cerebral perfusion. *Can J Surg* 1998;41:383-387.
346. Choiniere M, Rittenhouse BE, Perreault S, Chartrand D, Rousseau P, Smith B, Pepler C. Efficacy and costs of patient-controlled analgesia versus regularly administered intramuscular opioid therapy. *Anesthesiology* 1998;89:1377-1388.
347. Corbin F, Blaise G, Sauve R. Differential effect of halothane and forskolin on platelet cytosolic Ca<sup>2+</sup> mobilization and aggregation. *Anesthesiology* 1998;89:401-410.

348. Donati F. Neuromuscular monitoring: useless, optional or mandatory? *Can J Anaesth* 1998;45:R106-R116
349. Elias D, Cavalcanti dA, Eggenspieler P, Plaud B, Ducreux M, Spielmann M, Theodore C, Bonvalot S, Lasser P. Resection of liver metastases from a noncolorectal primary: indications and results based on 147 monocentric patients. *J Am Coll Surg* 1998;187:487-493.
350. Fortier J, Chung F, Su J. Unanticipated admission after ambulatory surgery--a prospective study. *Can J Anaesth* 1998;45:612-619.
351. Francoe M, Troncy E, Blaise G. Inhaled nitric oxide: technical aspects of administration and monitoring. *Crit Care Med* 1998;26:782-796.
352. Gao H, Roy S, Donati F, Varin F. Determination of succinylcholine in human plasma by high-performance liquid chromatography with electrochemical detection. *J Chromatogr B Biomed Sci Appl* 1998;718:129-134.
353. Girard F, Couture P, Boudreault D, Normandin L, Denault A, Girard D. Estimation of the pulmonary capillary wedge pressure from transesophageal pulsed Doppler echocardiography of pulmonary venous flow: influence of the respiratory cycle during mechanical ventilation. *J Cardiothorac Vasc Anesth* 1998;12:16-21.
354. Girard M, Drolet P. Tuohy needles and CSE [letter]. *Can J Anaesth* 1998;45:1220
355. Guay J, Ozier Y, de Moerloose P, Samana CM, Belisle S, Hardy JF. [Polytrauma and hemostatic anomalies]. *Can J Anaesth* 1998;45:683-691.
356. Guay J, Grenier Y, Varin F. Clinical pharmacokinetics of neuromuscular relaxants in pregnancy. *Clin Pharmacokinet* 1998;34:483
357. Hardy JF, Belisle S, Dupont C, Harel F, Robitaille D, Roy M, Gagnon L. Prophylactic tranexamic acid and epsilon-aminocaproic acid for primary myocardial revascularization. *Ann Thorac Surg* 1998;65:371-376.
358. Hardy JF, Martineau R, Couturier A, Belisle S, Cartier R, Carrier M. Influence of haemoglobin concentration after extracorporeal circulation on mortality and morbidity in patients undergoing cardiac surgery. *Br J Anaesth* 1998;81 Suppl 1:38-45.
359. Hebert TE, Loisel TP, Adam L, Ethier N, Onge SS, Bouvier M. Functional rescue of a constitutively desensitized beta<sub>2</sub>AR through receptor dimerization. *Biochem J* 1998;330 (Pt 1):287-293.
360. Hebert TE, Bouvier M. Structural and functional aspects of G protein-coupled receptor oligomerization. *Biochem Cell Biol* 1998;76:1-11.

361. Jayr C, Beaussier M, Gustafsson U, Leteurnier Y, Nathan N, Plaud B, Tran G, Varlet C, Marty J. Continuous epidural infusion of ropivacaine for postoperative analgesia after major abdominal surgery: comparative study with i.v. PCA morphine. *Br J Anaesth* 1998;81:887-892.
362. Lamontagne C, Brouillette D, Hardy JF. Incompatibility of propofol emulsion with anesthetic drugs [letter]. *Anesthesiology* 1998;89:1609
363. Lemire I, Allen BG, Rindt H, Hebert TE. Cardiac-specific overexpression of alpha1BAR regulates betaAR activity via molecular crosstalk. *J Mol Cell Cardiol* 1998;30:1827-1839.
364. Malenfant A, Forget R, Amsel R, Papillon J, Frigon JY, Choiniere M. Tactile, thermal and pain sensibility in burned patients with and without chronic pain and paresthesia problems. *Pain* 1998;77:241-251.
365. Milliard S, Silva A, Blaise G, Chen H, Xu D, Qi S, Daloze P. Rapamycin's effect on vasomotion in the rat. *Transplant Proc* 1998;30:1036-1038.
366. Somma J, Donner A, Zomorodi K, Sladen R, Ramsay J, Geller E, Shafer SL. Population pharmacodynamics of midazolam administered by target controlled infusion in SICU patients after CABG surgery. *Anesthesiology* 1998;89:1430-1443.
367. St-Pierre DM, Choiniere M, Forget R, Garrel DR. Muscle strength in individuals with healed burns. *Arch Phys Med Rehabil* 1998;79:155-161.
368. St-Pierre J, Fortier LP, Couture P, Hebert Y. Massive gastrointestinal hemorrhage after transoesophageal echocardiography probe insertion. *Can J Anaesth* 1998;45:1196-1199.
369. Troncy E, Collet JP, Shapiro S, Guimond JG, Blair L, Ducruet T, Francoeur M, Charbonneau M, Blaise G. Inhaled nitric oxide in acute respiratory distress syndrome: a pilot randomized controlled study. *Am J Respir Crit Care Med* 1998;157:1483-1488.
370. Troncy E, Francoeur M, Blaise G. Nitric oxide (NO)/nitrogen dioxide (NO<sub>2</sub>) scavengers [letter; comment]. *Br J Anaesth* 1998;80:697-698.
371. Troncy E, Blaise G. Phenylephrine and inhaled nitric oxide [letter; comment]. *Anesthesiology* 1998;89:538-540.
372. Zomorodi K, Donner A, Somma J, Barr J, Sladen R, Ramsay J, Geller E, Shafer SL. Population pharmacokinetics of midazolam administered by target controlled infusion for sedation following coronary artery bypass grafting. *Anesthesiology* 1998;89:1418-1429.

**1999**

373. Aubin P, Vischoff D, Haig M, Villeneuve E, Charest J, Lallier M, Di Lorenzo M. Management of an infant with diffuse bullous pulmonary lesions using high-frequency oscillatory ventilation. *Can J Anaesth* 1999;46:970-974.
374. Bergeron L, Girard M, Drolet P, Grenier Y, Le Truong HH, Boucher C. Spinal procaine with and without epinephrine and its relation to transient radicular irritation. *Can J Anaesth* 1999;46:846-849.
375. Carrier M, Blaise G, Belisle S, Perrault LP, Pellerin M, Petitclerc R, Pelletier LC. Nitric oxide inhalation in the treatment of primary graft failure following heart transplantation. *J Heart Lung Transplant* 1999;18:664-667.
376. Cartier R, Bouchard D, Martineau R, Couturier A. [Systemic coronary surgery in the beating heart. Experience in 250 cases]. *Ann Chir* 1999;53:693-700.
377. Cartier R, Brann S, Martineau R, Couturier A. [Left main coronary artery stenosis and revascularization in the beating heart. Short- and long-term experience]. *Ann Chir* 1999;53:701-705.
378. Cartier R, Bui B, Poirier N, Searle N, Gote G, Cartier B, Hudon G. Post-traumatic thoracic pseudoaneurysm repair with an endoluminal expandable stent. *Can J Cardiol* 1999;15:223-225.
379. Cartier R, Blain R. Off-pump revascularization of the circumflex artery: technical aspect and short-term results. *Ann Thorac Surg* 1999;68:94-99.
380. Chavanon O, Tremblay I, Delay D, Bouveret A, Blain R, Perrault LP. Carbon dioxide embolism during endoscopic saphenectomy for coronary artery bypass surgery. *J Thorac Cardiovasc Surg* 1999;118:557-558.
381. Choiniere M, Dumont M, Papillon J, Garrel DR. Prediction of death in patients with burns [letter]. *Lancet* 1999;353:2211-2212.
382. Couture P, Denault AY, Carignan S, Boudreault D, Babin D, Ruel M. Intraoperative detection of segmental wall motion abnormalities with transesophageal echocardiography. *Can J Anaesth* 1999;46:827-831.
383. D'Angelo E, Giglio R, Lafontaine E, Bellemare F. Influence of abdomen on respiratory mechanics in supine rabbits. *Respir Physiol* 1999;115:287-299.
384. Dagenais F, Perrault LP, Cartier R, Searle N, Page P, Pellerin M, Pelletier LC, Carrier M. Beating heart coronary artery bypass grafting: technical aspects and results in 200 patients. *Can J Cardiol* 1999;15:867-872.

385. Denault AY, Gasior TA, Gorcsan J, Mandarino WA, Deneault LG, Pinsky MR. Determinants of aortic pressure variation during positive-pressure ventilation in man. *Chest* 1999;116:176-186.
386. Donati F, Plaud B. Rocuronium-cisatracurium combinations [letter]. *Anesthesiology* 1999;91:587-588.
387. Dumas A, Dupuis GH, Searle N, Cartier R. Early versus late extubation after coronary artery bypass grafting: effects on cognitive function. *J Cardiothorac Vasc Anesth* 1999;13:130-135.
388. Gaspo R, Sun H, Fareh S, Levi M, Yue L, Allen BG, Hebert TE, Nattel S. Dihydropyridine and beta adrenergic receptor binding in dogs with tachycardia-induced atrial fibrillation. *Cardiovasc Res* 1999;42:434-442.
389. Gravel NR, Searle NR, Taillefer J, Carrier M, Roy M, Gagnon L. Comparison of the hemodynamic effects of sevoflurane anesthesia induction and maintenance vs TIVA in CABG surgery. *Can J Anaesth* 1999;46:240-246.
390. Ibebunjo C, Srikant CB, Donati F. Morphological correlates of the differential responses of muscles to vecuronium. *Br J Anaesth* 1999;83:284-291.
391. Lachance M, Ethier N, Wolbring G, Schnetkamp PP, Hebert TE. Stable association of G proteins with beta 2AR is independent of the state of receptor activation. *Cell Signal* 1999;11:523-533.
392. Lallier M, Bouchard S, Di Lorenzo M, Youssef S, Blanchard H, Lapierre JG, Vischoff D, Tucci M, Brochu P. Pleuropulmonary blastoma: a rare pathology with an even rarer presentation. *J Pediatr Surg* 1999;34:1057-1059.
393. Laurin J, Nekka F, Donati F, Varin F. Assuming peripheral elimination: its impact on the estimation of pharmacokinetic parameters of muscle relaxants. *J Pharmacokinet Biopharm* 1999;27:491-512.
394. Le May S, Hardy JF, Taillefer MC, Dupuis G. Measurement of patient satisfaction [letter; comment]. *Anesth Analg* 1999;89:255
395. Lesur O, Berthiaume Y, Blaise G, Damas P, Deland E, Guimond JG, Michel RP. Acute respiratory distress syndrome: 30 years later. *Can Respir J* 1999;6:71-86.
396. Ng GY, Clark J, Coulombe N, Ethier N, Hebert TE, Sullivan R, Kargman S, Chateauneuf A, Tsukamoto N, McDonald T, Whiting P, Mezey E, Johnson MP, Liu Q, Kolakowski LFJ, Evans JF, Bonner TI, O'Neill GP. Identification of a GABAB receptor subunit, gb2, required for functional GABAB receptor activity. *J Biol Chem* 1999;274:7607-7610.

397. Pinsonneault C, Fortier J, Donati F. Tracheal resection and reconstruction. *Can J Anaesth* 1999;46:439-455.
398. Prandi E, Couture J, Bellemare F. In normal subjects bracing impairs the function of the inspiratory muscles. *Eur Respir J* 1999;13:1078-1085.
399. Purdy R, Bevan DR, Donati F, Lichtor JL. Early reversal of rapacuronium with neostigmine. *Anesthesiology* 1999;91:51-57.
400. Rittenhouse BE, Choiniere M. An economic evaluation of pain therapy after hysterectomy. Patient-controlled analgesia versus regular intramuscular opioid therapy. *Int J Technol Assess Health Care* 1999;15:548-562.
401. Roux M, Drolet P, Girard M, Grenier Y, Petit B. Effect of the laryngeal mask airway on oesophageal pH: influence of the volume and pressure inside the cuff. *Br J Anaesth* 1999;82:566-569.
402. Schoots O, Wilson JM, Ethier N, Bigras E, Hebert TE, Van Tol HH. Co-expression of human Kir3 subunits can yield channels with different functional properties. *Cell Signal* 1999;11:871-883.
403. Searle NR, Thomson I, Dupont C, Cannon JE, Roy M, Rosenbloom M, Gagnon L, Carrier M. A two-center study evaluating the hemodynamic and pharmacodynamic effects of cisatracurium and vecuronium in patients undergoing coronary artery bypass surgery . *J Cardiothorac Vasc Anesth* 1999;13:20-25.
404. St-Laurent-Gagnon T, Bernard-Bonnin AC, Villeneuve E. Pain evaluation in preschool children and by their parents. *Acta Paediatr* 1999;88:422-427.

## 2000

405. Aubin P, Hardy JF, Carrier M. Hypertensive response to warm "cardiac" irrigation in a patient with a total artificial heart [letter]. *Can J Anaesth* 2000;47:96-97.
406. Beaubien G, Drolet P, Girard M, Grenier Y. Patient-controlled epidural analgesia with fentanyl-bupivacaine: influence of prior dural puncture . *Reg Anesth Pain Med* 2000;25:254-258.
407. Beaulieu P, Bisogno T, Punwar S, Farquhar-Smith WP, Ambrosino G, Di Marzo V, Rice AS. Role of the endogenous cannabinoid system in the formalin test of persistent pain in the rat. *Eur J Pharmacol* 2000;396:85-92.
408. Beaulieu P. Interactions entre systèmes opioïde et cannabinoïde. *Ann Fr Anesth Reanim* 2000;19:217-218.

409. Bellemare F, Couture J, Donati F, Plaud B. Temporal relation between acoustic and force responses at the adductor pollicis during nondepolarizing neuromuscular block . *Anesthesiology* 2000;93:646-652.
410. Brann S, Martineau R, Cartier R. Left main coronary artery stenosis: early experience with surgical revascularization without cardiopulmonary bypass. *J Cardiovasc Surg (Torino)* 2000;41:175-179.
411. Cartier R, Prieto J, Leclerc Y, Hebert Y, Jean D, Hardy JF. Factors predictive of oxygen consumption during the immediate postoperative period in open heart surgery. *Can J Cardiol* 2000;16:467-472.
412. Cartier R, Brann S, Dagenais F, Martineau R, Couturier A. Systematic off-pump coronary artery revascularization in multivessel disease: experience of three hundred cases. *J Thorac Cardiovasc Surg* 2000;119:221-229.
413. Collins LM, Bevan JC, Bevan DR, Villar GC, Kahwaji R, Smith MF, Donati F. The prolonged duration of rocuronium in Chinese patients . *Anesth Analg* 2000;91:1526-1530.
414. Couture P, Denault AY, McKenty S, Boudreault D, Plante F, Perron R, Babin D, Normandin L, Poirier N. Impact of routine use of intraoperative transesophageal echocardiography during cardiac surgery. *Can J Anaesth* 2000;47:20-26.
415. Demers P, Elkouri S, Martineau R, Couturier A, Cartier R. Outcome with high blood lactate levels during cardiopulmonary bypass in adult cardiac operation. *Ann Thorac.Surg* 2000;70:2082-2086.
416. Donati F. Neuromuscular blocking drugs for the new millennium: current practice, future trends--comparative pharmacology of neuromuscular blocking drugs. *Anesth Analg* 2000;90:S2-S6
417. Donati F. Cumulation and flexibility with infusions of neuromuscular blocking drugs [editorial] . *Can J Anaesth* 2000;47:936-942.
418. Drolet P, Girard M, Poirier J, Grenier Y. Facilitating submental endotracheal intubation with an endotracheal tube exchanger. *Anesth Analg* 2000;90:222-223.
419. Forestier F, Belisle S, Robitaille D, Martineau R, Perrault LP, Hardy JF. Low-dose aprotinin is ineffective to treat excessive bleeding after cardiopulmonary bypass. *Ann Thorac Surg* 2000;69:452-456.
420. Hardy JF, Fenton PM. Effectiveness of blood transfusion in Malawi [letter]. *Anesthesia* 2000;55:613-614.
421. Hardy JF, Harel F, Belisle S. Transfusions in patients undergoing cardiac surgery with autologous blood. *Can J Anaesth* 2000;47:705-711.

422. Hemmerling TM, Schmidt J, Hanusa C, Wolf T, Schmitt H. Simultaneous determination of neuromuscular block at the larynx, diaphragm, adductor pollicis, orbicularis oculi and corrugator supercilii muscles. *Br J Anaesth* 2000; 85: 856-60
423. Hemmerling TM, Schmidt J, Wolf T, Klein P, Jacobi K. Comparison of succinylcholine with two doses of rocuronium using a new method of monitoring neuromuscular block at the laryngeal muscles by surface laryngeal electromyography. *Br J Anaesth* 2000;85:251-255.
424. Hemmerling TM, Budde WM, Koppert W, Jonas JB. Retrobulbar versus systemic application of morphine during titratable regional anesthesia via retrobulbar catheter in intraocular surgery. *Anesth Analg* 2000;91:585-588.
425. Hemmerling TM, Schmidt J, Hanusa C, Wolf T, Schmitt H. Simultaneous determination of neuromuscular block at the larynx, diaphragm, adductor pollicis, orbicularis oculi and corrugator supercilii muscles. *Br J Anaesth* 2000;85:856-860.
426. Hemmerling TM, Schmidt J, Wolf T, Wolf SR, Jacobi KE. Surface vs intramuscular laryngeal electromyography . *Can J Anaesth* 2000;47:860-865.
427. Jankowska A, Veillette Y. Comparison of differential blockade during spinal anesthesia using isobaric vs. hyperbaric lidocaine 2%. *Can J Anaesth* 2000;47:137-142.
428. Jiang ZY, Costachescu T, Derouin M, Blaise G. Treatment of pulmonary hypertension during surgery with nitric oxide and vasodilators . *Can J Anaesth* 2000;47:552-555.
429. Kassis J, Fugere F, Dube S. The safe use of epidural anesthesia after subcutaneous injection of low-dose heparin in general abdominal surgery. *Can J Surg* 2000;43:289-294.
430. Le May S, Hardy JF, Taillefer MC, Dupuis G. Inappropriate methods for patient satisfaction [letter; comment]. *Br J Anaesth* 2000;84:821-822.
431. Le May S, Dupuis G, Harel F, Taillefer MC, Dube S, Hardy JF. Clinimetric scale to measure surgeons' satisfaction with anesthesia services. *Can J Anaesth* 2000;47:398-405.
432. Martin J, Robitaille D, Perrault LP, Pellerin M, Page P, Searle N, Cartier R, Hebert Y, Pelletier LC, Thaler HT, Carrier M. Reinfusion of mediastinal blood after heart surgery . *J Thorac Cardiovasc Surg* 2000;120:499-504.
433. McHardy FE, Fortier J, Chung F, Krishnathas A, Marshall SI. A comparison of midazolam, alfentanil and propofol for sedation in outpatient intraocular surgery. *Can J Anaesth* 2000;47:211-214.

434. Motamed C, Donati F. Intubating conditions and blockade after mivacurium, rocuronium and their combination in young and elderly adults. *Can J Anaesth* 2000;47:225-231.
435. Perrault LP, Denault AY, Carrier M, Cartier R, Belisle S. Torsades de pointes secondary to intravenous haloperidol after coronary bypass grafting surgery. *Can J Anaesth* 2000;47:251-254.
436. Robillard L, Ethier N, Lachance M, Hebert TE. Gbetagamma subunit combinations differentially modulate receptor and effector coupling in vivo. *Cell Signal* 2000;12:673-682.
437. Sullivan R, Chateauneuf A, Coulombe N, Kolakowski LFJ, Johnson MP, Hebert TE, Ethier N, Belley M, Metters K, Abramovitz M, O'Neill GP, Ng GY. Coexpression of Full-Length gamma-Aminobutyric Acid(B) (GABA(B)) Receptors with Truncated Receptors and Metabotropic Glutamate Receptor 4 Supports the GABA(B) Heterodimer as the Functional Receptor. *J Pharmacol Exp Ther* 2000;293:460-467.
438. Talbot MP, Tremblay I, Denault AY, Belisle S. Vasopressin for refractory hypotension during cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 2000;120:401-402.
439. Viby-Mogensen J, Ostergaard D, Donati F, Fisher D, Hunter J, Kampmann JP, Kopman A, Proost JH, Rasmussen SN, Skovgaard LT, Varin F, Wright PM. Pharmacokinetic studies of neuromuscular blocking agents: good clinical research practice (GCRP). *Acta Anaesthesiol Scand* 2000;44:1169-1190.
440. Williams SR, Chapman CE. Time course and magnitude of movement-related gating of tactile detection in humans. II. Effects of stimulus intensity. *J Neurophysiol*. 2000;84:863-875.
441. Withington D, Menard G, Harris J, Kulkarni P, Donati F, Varin F. Vecuronium pharmacokinetics and pharmacodynamics during hypothermic cardiopulmonary bypass in infants and children.. *Can J Anaesth* 2000;47:1188-1195.
442. Wong J, Ritchie E, Chung F, Marshall S, McHardy F, Fortier J. Intraoperative vs postoperative morphine improves analgesia without increasing PONV on emergence from ambulatory surgery. *Can J Anaesth* 2000;47:1090-1093.